0055934

Lionville Laboratory, Inc.

VOA ANALYTICAL DATA PACKAGE FOR
TNUHANFORD B01-059 + 1418

RFW LOT # :01671265

CLIENT ID	rfw #	MTX	PREP #	COLLECTN	DATE REC	EXT/PREP	ANALYSIS
B125Y8	001	w	01LVX216	07/02/01	07/06/01	N/A	07/09/01
B12601	002	W	01LVX216	07/02/01	07/06/01	N/A	07/09/01
B12601	002 MS	W	01LVX216	07/02/01	07/06/01	N/A	07/09/01
B12601	002 MSD	W	01LVX216	07/02/01	07/06/01	N/A	07/09/01
LAB QC:							
VBLKGE	MB1	W	01LVX216	N/A	N/A	N/A	07/09/01
VBLKGE	MB1 BS	W	01LVX216	N/A	N/A	N/A	07/09/01

PW 07-31-01



EDMC





Analytical Report

Client: TNU-HANFORD B01-059

W.O. #: 11343-606-001-9999-00

RFW #: 0107L265

Date Received: 07-06-01

SDG/SAF #: H1448/B01-059

GC/MS VOLATILE

The set of samples consisted of two (2) water samples collected on 07-02-01.

The samples and their associated QC samples were analyzed according to criteria set forth in Lionville Laboratory OPs based on SW 846 Method 8260A for TCL Volatile target compounds on 07-09-01.

The following is a summary of the QC results accompanying these sample results and a description of any problems encountered during their analyses:

- The cooler temperature upon receipt has been recorded on the chain-of-custody. 1.
- 2. The samples were analyzed within required holding time.
- 3. Non-target compounds were not detected in the samples.
- All surrogate recoveries were within EPA QC limits. 4.
- 5. All matrix spike recoveries were within EPA QC limits.
- All RPDs were within EPA OC limits. 6.
- 7. All blank spike recoveries were within EPA QC limits.
- The method blank contained the common laboratory contaminant Methylene Chloride at a level 8. less than 2x the CRQL.
- 9. Internal standard area and retention time criteria were met.
- "I certify that this sample data package is in compliance with SOW requirements, both technically 10. and for completeness, other than the conditions detailed above. Release of the data contained in this hard-copy data package has been authorized by the Laboratory Manager or a designee, as verified by the following signature."

J. Michael Taylor

President

Lionville Laboratory Incorporated

som&pef\group\data\voa\tnu-hanford\0107-265.doc

The results presented in this report relate only to the analytical testing and conditions of the samples at receipt and during storage. All pages of this report are integral parts of the

analytical data. Therefore, this report should only be reproduced in its entirety

GLOSSARY OF VOA DATA

DATA QUALIFIERS

- U = Compound was analyzed for but not detected. The associated numerical value is the estimated sample quantitation limit which is included and corrected for dilution and percent moisture.
- J = Indicates an estimated value. This flag is used under the following circumstances: 1) when estimating a concentration for tentatively identified compounds (TICs) where a 1:1 response is assumed; or 2) when the mass spectral data indicate the presence of a compound that meets the identification criteria but the result is less than the specified detection limit but greater than zero. For example, if the limit of detection is 10 ug/L and a concentration of 3 ug/L is calculated, it is reported as 3J.
- B = This flag is used when the analyte is found in the associated blank as well as in the sample. It indicates possible/probable blank contamination. This flag is also used for a TIC as well as for a positively identified TCL compound.
- E = Indicates that the compound was detected beyond the calibration range and was subsequently analyzed at a dilution.
- D = Identifies all compounds identified in an analysis at a secondary dilution factor.
- l = Interference.
- NO = Result qualitatively confirmed but not able to quantify.
- N = Indicates presumptive evidence of a compound. This flag is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It is applied to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the N code is not used.
- This flag is used for a TIC compound which is quantified relative to a response factor generated from a daily calibration standard (rather than quantified relative to the closest internal standard).
- Y = Additional qualifiers used as required are explained in the case narrative.



3

GLOSSARY OF VOA DATA

ABBREVIATIONS

DL

22	-	and carried through all the steps in the method. Spike recoveries are reported.
BSD	*	Indicates blank spike duplicate.
MS	*	Indicates matrix spike.
MSD	=	Indicates matrix spike duplicate.

Suffix added to sample number to indicate that results are from a diluted analysis.

NA = Not Applicable.

DF - Dilution Factor.

NR - Not Required.

SP, Z = Indicates Spiked Compound.



TECHNICAL FLAGS FOR MANUAL INTEGRATION

Manual quantitation modifications or integrations are performed routinely to improve the data quality for a variety of technical reasons. Documentation of these modifications should be clear and concise. The following "flags" are used to indicate the technical reasons for quantitation modifications:

- MP Missed Peak: manually added peak not found by automatic quantitation program.
- PA Peak Assignment: quantitation report was changed to reflect correct peak assignment.
- RI Routine Integration: routine integrations are performed for some analytes that are consistently integrated improperly by the automatic integration programs. Examples are the dichlorobenzene isomers on the VOA packed column and benzo(b)fluoranthene/benzo(k)fluoranthene which are poorly resolved on the BNA column.
- SP Split Peak: the automatic integration improperly split the peak; a manual integration was performed to get the correct area.
- CB Coelution/Background: peak was manually integrated to eliminate contribution from coeluting compounds, background signal, or other interference.
- PI Proper Integration: a peak with poor or inconsistent integration (e.g., excessive tail) was properly integrated manually.



L-WI-035/a-mi-10/00

Lionville Laboratory, Inc. Volatiles by GC/MS, HSL List

Volatiles by GC/MS, HSL List Report Date: 07/30/01 22:09
Client: TNUHANFORD B01-059 H1413 Work Order: 11343606001 Page: 1a

RFW Batch Number: 0107L265 171 478 1 W. VBLKGE BS B12601 B12601 VBLKGE B12601 Cust ID: **B125Y8** 002 MSD 01LVX216-MB1 01LVX216-MB1 002 MS 001 002 Sample RFW#: WATER WATER WATER WATER WATER WATER Matrix: Information 1.00 1.00 1.00 1.00 1,00 1.00 D.F. ug/L uq/L uq/L Units: ug/L ua/L uq/L 100 ş Ş. 103 욯 104 Toluene-d8 106 98 욯 ¥ 114 ¥ 114 왛 2 113 ¥ 112 옿 110 114 Bromofluorobenzene Surrogate 102 100 99 96 99 96 1.2-Dichloroethane-d4 Recovery IJ 10 IJ 10 10 U Ħ 10 10 10 Chloromethane ______ TT 10 IJ 10 IJ TT 10 IJ 10 U 10 Bromomethane _____ 10 IJ 10 U 10 IJ 10 10 U Vinyl Chloride_____ 10 10 10 Ħ 10 10 IJ 10 IJ 10 Τĭ 10 Chloroethane_____ Methylene Chloride JB 5 ιTΒ 14 В JB 17 10 U 10 П П 10 IJ Acetone 10 10 IJ 10 5 5 Carbon Disulfide 5 IJ 5 U 5 TT 5 79 80 5 Ħ 80 1.1-Dichloroethene_____ U Ħ 5 TT 5 5 1,1-Dichloroethane_____ TI 5 1,2-Dichloroethene (total) П 5 IJ 5 5 П Π 5 IJ 5 Chloroform_____ 5 Ħ 5 5 5 5 Ħ 1,2-Dichloroethane _____ IJ 2-Butanone 10 10 10 10 1.0 IJ 10 5 IJ 5 U 5 1,1,1-Trichloroethane____ 5 U IJ 5 U 5 IJ U П Ħ 5 Carbon Tetrachloride _ ____ IJ Bromodichloromethane_____ 5 U U П 5 U 5 U 5 U 1.2-Dichloropropane_____ IJ U TT U Ħ U 5 U 5 U 5 5 U cis-1,3-Dichloropropene_____ 102 Ħ 103 101 Dibromochloromethane_____ 5 U П U 11 1,1,2-Trichloroethane____ П IJ U Benzene_____ 105 106 IJ 5 U 106 5 Ħ П II 5 U IJ Trans-1,3-Dichloropropene Bromoform _____ 5 П П 5 ĪΤ II 5 IJ 4-Methyl-2-pentanone_____ 10 10 10 10 U 10 10 U 2-Hexanone____ 10 U 10 U 10 [] 1.0 10 TT 10 U U TT 5 U 5 U 5 U 5 U Tetrachloroethene_____ 1,1,2,2-Tetrachloroethane 5 U 5 U 5 U 5 IJ 5 U IJ 5 11 5 [] 108 107 % 107 Toluene

*= Outside of EPA CLP QC limits.

JU 3101

	H14484"12,		11343606001			
<u>)59</u>	H1413 Work	Order:	11343606001	Page:	1 <u>b</u>	7

RFW Batch Number: 01071265		<u>ent: TNUHANFORD</u>	B01-059 H1413	Work Order:	11343606001	<u> Page: ID</u>	•
	Cust ID:	B125Y8	B12601	B12601	B12601	VBLKGE	VBLKGE BS
	RFW#:	001	002	002 MS	002 MSD	01LVX216-MB1	01LVX216-MB1
Chlorobenzene		5 U	5 U	112 %	111 %	5 U	111 %
Ethylbenzene		5 U	5 U	5 U	5 U	5 Ū	5 U
Styrene		5 U	5 U	5 U	5 U	5 Ü	5 U
Xylene (total)		5 Ü	5 Ü	5 Ü	5 U	5 Ü	5 U

^{*=} Outside of EPA CLP QC limits.

Lionville Laboratory Use Only
01076265

Custody Transfer Record/Lab Work Request Page _____ of ____

FIELD PERSONNEL: COMPLETE ONLY SHADED AREAS

A	Gem	>
---	-----	---



<u></u>										A		`										OX.		سينتس
Client	nu-	Hanford	2001	- 059			Refrige	rator#		1														
Est. Final Pro	17.5	and the second of the second				[#/Tvne	Container	Llquid	190														
		5-606-	001-0	1999-60			ури		Solid												,			<u> </u>
Project Conta				<u> </u>	· .		Volume	•		40								<u> </u>			<u> </u>			
		Project Manage)			Solid						-			<u> </u>	 			أسسا		
oc Spro		Del_Std	<u>TAT _</u>	30 day			Presers	vatives		-	OBC	ANIC			-		INC	RG						
ļ ,	7	·6·01		5		1	ANALY			→			Ð										j ¹	ļ
Date Rec'd	7	10-01	Date Due _	8-9:01			REQUE	STED		VOA	BNA	Pest/ PCB	Herb		<u> </u>		Metal	₹	<u> </u>		7		l:	Ĺ '
MATRIX					i wan				-				Ţ		Lionv	ille La	borate	ory Us	e Onf	/	1			
CODES:	Lab	Clic	ent ID/Descri	otion	Chos	sen	Matrix	Date	Time	I						İ		[Ì			. 1		
SE - Sediment) 10	,			(~	"		Collected	Collected	200				ļ Į		 	1		ļ 1		1	. !		
SO - Solid SL - Sludge					MS	MSQ		 	<u> </u>	מ								<u> </u>	<u> </u>				 	
W - Water O - Oil	∞	B12548	<u> </u>	· 	1_1		Ψ	7201	0330	~					<u> </u>			<u> </u>		ļ				
A - Air DS - Drum	500	B12(00)	1				_ <u>_</u>		2345	<u> </u>				<u> </u>	· .								<u> </u>	
Solids DL - Drum			· · · · · · · · · · · · · · · · · · ·				· .	<u> </u>						<u> </u>					ļ					
Liquids L - EP/TCLP																								
Leachate Wil- Wipe								<u> </u>														<u> </u>		
X - Other F - Fish								-																
]																								
Special Instructi	ions: P	501-059					EVISION						125						Lionvill	e Labo	ratory	Use Or	ıly	
;		itrix Oc			-		·	1.10cl00	07-01 Cl del	011	حص	J-0	, OC;	CCI				mples v				per Resis		
hun'	(1)0	itux OC			7	1-16	: ۲۵۰	e hec	d del	<u></u>	7/4	.۵/م	L					Shippe nd Deli				Present :kage `		
					_		8	3		-							Air	b# #				Jnbroke kage		
					_			4									2)	Ambien	t or Ch	Wed	1	deseut		
					•	5										Receive ndition			1	1	Y or	N		
			^				٠										4)	Saprofe	5	\	(4) U (San	Jnbioke npie Y	or I	N
Relinquished		Received		Rei	inguish	ned	 	Received			Tim		Diece	eogorie	s Betw	een	_j Pro	ppeny F	reselve Y or	, be			cord Present	
by		by	Date	Time	by		1	by	Da	ite	rim	<u>-</u>	Samp	des Lat	oels and	d	5)	Refeive	od With		upo	on Sami	ple Red Y or	A N
Belog]	Tropel	750-01		IPOS	LTE						_	NOTE		∮?Υ o	r N	Ho	ldin d Ti	mes Yor	N	Coo			·c
)		7)	7-1601		AST				RIGIN	AL				_								r·		Ĭ
			<u> </u>	\	OAT.		<u> </u>	R E	WRIT	TEN	1	⊾ لســــا												

Bechtel Han	ford Inc.		CHAIN OF CUST	rody/s	AMPI	LE ANAL	YSIS	REOUES	r	В	01-058-5	Page 1	of 1
Collector Thomas G./Watson D.		Com	pany Contact odd, M.E.	Telepho				Project Coordi TRENT, SJ		Price Code	8N 65	Data T	urnaround
Project Designation 200-TW-1 & 2 - Soil Samp	ling		pling Location -26/200 W					SAF No. B01-058		Air Qualit	<u> </u>	45	Days
Ice Chest No. FRC 91	0-034		I Logbook No. L-1518		COA B20TW	V1A44C		Method of Ship	HUCHT	/07-42-9 dex	7		
Shipped To 2-7-54 Severn Trent Incorporated	RECEA	Offs	ite Property No.A	103	11			Bill of Lading	Air-Bill Me	179	54	-5	579
	ARDS/REMARKS DUNTS BACKLEOUNS SPOON	WSAUT	Preservation	Cool 4C	Cool 40	C Cool 4C	Cool 4	C Cool 4C	Delete	W.	74		cod 4°C
	OSEKOSMRIN		Type of Container	aG	aG	aG	∌G	aG	V50	1.5	1.9		ab
Special Handling and/o Samples stored in R	r Storage ef.# <u>111</u> at the 3728		No. of Container(s)	1	1	1	1	1	19				1
Shipping Facility or Collector not availa	. <u>7 / 2 /6/.</u> ble to relinguish samp	les	Volume	120mL	60mL	250mL	60mL	. 250mL	120m	250mL	60nL		HONL
on <u>7/5/0</u> 1	SAMPLE ANA	isol Exsis		See item (1) in Special Instructions.	Chromiur Hex - 719		VOA - 820 (TCL)		Special Instructions	See item (5) in Special Instructions.	Activity Scan		(TCL)
Sample No.	Matrix *	Sample Date	Sample Time						7/2601			Tieto	
B125X5 - Brtak 010	76239 SOIL	7/2/01	c330	х	×	×	X	×		*	7	3/2/=	BIZL
BI25 Y8 (TRIP BLANK) WATER	7/2/01	0330		- / -								X
									-				
CHAIN OF POSSESS	ON	Sign/Pri	nt Names		SPE	ECIAL INSTRU	ICTION	is		1	J	1	Matrix *
Relinquished By/Removed From	Date/Time 083 7/2/0/ Date/Time 137 Date/Time 137 Date/Time Date/Time Date/Time	Received By/Sto	red in Date of the	e/Time	(1) (Ad (2) (Am (3) (4) Iron (5) Sum 292	ICP Metals - 6010 dd-on) {Bismuth, L IC Anions - 300.0 nrnonia - 350.1; NO Semi-VOA - 827 ICP Metals - 6010 n, Lead, Magnesium Gamma Spectrosco	OA (TAL) Lead); Mer (Chloride VINO3 - 3 OA (Add-C) VIR (Clier III, Mangan Ony (Cest) (Radion)	(Cadmium, Chromicury - 7470 - (CV) c, Fluoride, Nitroger 153.1; Total Cyanide On) (Tributy) phosp at List) (Aheminum, use, Molybdenum, use, 132, Cobalt 60, -7270, Radium-228) -4; Neptumium-227	n in Nitrate, h - 9010; TOC hate}; TPH-I Bismath, Ca Nickel, Potas Rumpium, 15	Vitrogen in Nitro 2 - 9060; pH (Sc Diesel Range - V dmium, Calcium sium, Silver, Sc 2 Europium 1 tonium; Isotopi	ite, Phosphate, oit) - 9045 WTPH-D m, Chromium, odium, Vanadiu M, Buraphim-I c Thorium (Th	Sulfate}; Copper, am, Zinc} 55};	S-Eoil SB-Scaliment SO-Golid SI-Studge W = Water O-Oil A-Air DB-Drum Solids DL-Drum Liquids T-Tume W-Wipe L-Liquid V-Vagatation X-Other
LABORATORY Received	Зу			Title	;						D	ate/Time	
FINAL SAMPLE Disposal I	fethod					Dispose	≈d By				D	Pate/Time	

, ———		_ -												,		1:4		אוש
Bechte	l Hanfo	rd Inc.		<u>CH</u>	IAIN OF CUST	rody/s	SAMI	<u>PLE</u>	ANAL						B 0	1-988-19 (Hago 1	of 1
Collector Thomas G./Watso	π D.			Compar Todd,	ny Contact M.E.	Telepho (509)	ne No. 372-963	31				ect Coordi NT, SJ	inator	Price	e Code	8N 059		maround
Project Designation 200-TW-1 & 2 - S		g			g Location 200 W				-		SAF B01-			Air	Quality		45	Days
Ice Chest No.	20	96-03	4	Field Lo	gbook No.	COA B20TW1A44C						od of Ship d EX	ment		, <u></u>	<u>-</u>		
Shipped To- TMARECRA				Offsite I	Property No.	7010	 つろ	11			BM (f Lading/	AIT BUT	N ₂ γ ς	- 184	1 - 6	3<-	19
POSSIBLE SAMP Radioactive	LE HAZAI B	RDS/REMARKS ACKGROUND COUNT 0.5 mR/Lr 1005E	s on spli	T SACT	Preservation	Cool 4C	Cook		Coal 4C	Cool 40	;	None	None	/ 4	m/42			
					Type of Container	₽G	80	G	aG	aG	7	aG	1	-	14		i	
Special Handlin	g and/or S	Storage		r	No. of Container(s)	1	1	1 1		1	1/				1			
					Volume	500mL	1000	0mL	nL 120mL 5		, 500 AL		1000n	aL _	40 ML			
sample analysis						See item (1) in Special Instructions.	Special Spec		(TCL) Special	See item (3 Special Instruction	Spe jili		1 1	1-	IOA 260A TCL			
Sample N	<u> </u>	Matrix *	Sample	Date	Sample Time						1	96	633					
B125Y9		SOIL	27.02		2345	×		c	×	X		1					TV TO	0265
212/01		1			1 02/16	 ~	 	`	X	-		 	<u> </u>		A F	7.5.4		1915/19
2775.4		WARY	077		7570		 							_	<u> </u>	1,2,4	1	IOIZEO
B12601		WATER	D7-C	Z-C	1 2345						_//				X			
CHAIN OF P	OSSESSIO	N	Sign	n/Print N	James		L	SDECT	AL INSTR	UCTION	1					<u> </u>		Matrix *
Relinguished By Remov	ed Frogh	Date/Time 02				te/Time 02	00	(1) ICF	Metals - 601	0A (TAL)	{Cadn					; ICP Metals - 6	010A	S=Soil SB=Sediment
leling ished By/Remoy	ed From		O FOR	TYPE T		te/Time ()	30	(2) IC / NO2/N	O3 - 353.1; To	(Chloride etal Cyanid	, Fluor c - 901	ride, Nitrate, 0; TOC - 90	Nitrite, P. 60; pH (S	hosphate oil) - 904	; Sulfate};.	Ammonia - 350	3; ميالاند	SO=Solid Si=Sludge W = Water
d inolistical By Remov		1-5-01	& Received		EX _	te/Time	1	(A) ICE Iron, Le	<u>ad Magnesiur</u>	OTR (Client n. Mangan	s List) esc. M	(Aluminum Olyboenum	, Biemuth Nickel, P	Cadmin otassium	Silver, So	n Chromium, C dium, Vanadium	onner <i>en∹u</i>	O-Oil A-Air DS-Drum Solids DL-Drum Liquids
Oa) Ex 7.6.01 /025 D. Trutte 76.01 1025 Gamma Spec Add on (Radiom 226, Ranton 228); Isotopic Platonium; Isotopic Tharium (Thorium 200) Ex 7.6.01 /025 D. Trutte 76.01 1025										W=Wipe L=Liquid V=Vegetation								
elinquished By/Remov	ea ktom						Samples stored in Ref.# 1 Pat the 3728 Shipping Facility on 7/ 5/5										X=Other	
elinquished By/Remove	ed From	Date/Time	Received	By/Stored	In Dai	te/Time			3728 Shi	ipping F r not av	acili ailat	ty on <u>7</u> de to reli	<u>ا در ا</u> nquish	الا. معد	_			
LABORATORY SECTION	Received By					Tit	le	_				₫ for sl	iipmen		ઠા	Da	te/Time	
FINAL SAMPLE DISPOSITION	Disposal Me	thod				<u> </u>		<u></u>	Dispos	ed By				<u> </u>		De	ate/Time	